ReliaPrep™ LV 32 HSM Firmware

The ReliaPrep™ LV 32 HSM firmware contains the machine language necessary to run the ReliaPrep™ LV 32 HSM Instrument. The download contains the single firmware file, an executable to update the firmware, and instructions on how to install the firmware on your ReliaPrep™ LV 32 HSM Instrument. The ReliaPrep™ LV 32 HSM can be updated from any PC computer **(Microsoft Windows® 95 or higher)** with an available serial port or with a USB to Serial converter.

ReliaPrep™ LV32 HSM Firmware v1.11 adds improved error detection functionality by providing an audible warning if the instrument were to experience a heater or heater sensor error.

How to determine firmware version installed:
The firmware version is displayed during boot up and can also be determined by selecting setup(option 4) from the HSM menu and then selecting Selecting "Firmware Version" which displays the currently loaded version of firmware on the ReliaPrep™ LV32 HSM Instrument.

To download the ReliaPrep™ LV 32 HSM Firmware please complete the form below:

Please select the appropriate firmware version:

◯ Firmware v1.11

Please provide your contact information:

Underlined entries are required.

First Name

Institution

Street Address

PO Box

City

Country

Telephone

Email

Last Name

Department

Bldg/Room

Address is for: ◯Work◯Home

State/Region

Postal Code

Fax

If you recently moved, help us stay current - please tell us where you were before!

Previous Institution

☐ I give Promega or an authorized Promega distributor permission to contact me at the addresses that I provide.

Moved here

Select One

Submit