

**Kit Components**

Product code	Description
<b>AS1480</b>	<b>Maxwell® RSC ccfDNA Plasma Kit</b>

## Components:

MC139	Elution Buffer
MC136	Lysis Buffer
MC137	PBI Resin C
K200	4/40 Wash
MC138	Wash Solution
MC109	Ethanol Solution



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/14/2020

Reviewed on 09/14/2020

**1 Identification****Product identifier****Trade name:** Elution Buffer**Article number:** MC139**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

**Label elements****GHS label elements** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 0

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable**Target Organ(s):** Not applicable or unknown

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

**Trade name: Elution Buffer**

(Contd. of page 1)

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:** Not applicable**Additional information:** For the wording of the listed risk phrases refer to section 15.

### \* 4 First-aid measures

**Description of first aid measures****General information:** No special measures required.**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### \* 5 Fire-fighting measures

**Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice**Protective equipment:** No special measures required.

### \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.**Environmental precautions:** Dilute with plenty of water.**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: *Elution Buffer*

(Contd. of page 2)

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

**Precautions for safe handling** No special measures required.

**Information about protection against explosions and fires:** The product is not flammable.

**Conditions for safe storage, including any incompatibilities**

### Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

**Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:** Not required.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

**pH-value at 20 °C (68 °F):** 9

#### Change in condition

<b>Melting point/Melting range:</b>	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
<b>Flash point:</b>	Not applicable.

**Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: *Elution Buffer*

(Contd. of page 3)

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Vapor pressure:</b>	Not determined.
<b>Density at 20 °C (68 °F):</b>	1 g/cm <sup>3</sup> (8.345 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Water:</b>	99.8 %
<b>VOC content:</b>	0.00 %
<b>Solids content:</b>	0.2 %
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

**LD/LC50 values that are relevant for classification:** No data available

#### Primary irritant effect:

**on the skin:** No irritant effect.

**on the eye:** No irritating effect.

**Sensitization:** No sensitizing effects known.

#### Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

#### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

**Trade name: Elution Buffer**

(Contd. of page 4)

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological information

**Toxicity**

**Aquatic toxicity:**

Not available

No further relevant information available.

**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Not available

**Additional ecological information:**

**General notes:**

Not available.

Not known to be hazardous to water.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

**Waste treatment methods**

**Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

**UN-Number**

**DOT, ADR, ADN, IMDG, IATA**

Not hazardous for transportation

Not applicable

**UN proper shipping name**

**DOT, ADR, ADN, IMDG, IATA**

None

Not applicable

**Transport hazard class(es)**

None

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: *Elution Buffer*

(Contd. of page 5)

**DOT, ADR, ADN, IMDG, IATA**Class *Not applicable***Packing group**DOT, ADR, IMDG, IATA *None*  
*Not applicable***Environmental hazards:****Marine pollutant:** *No***Special precautions for user** *Not applicable.***Transport in bulk according to Annex II of  
MARPOL 73/78 and the IBC Code** *Not applicable.***UN "Model Regulation":** *Not applicable***15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Sara****Section 355 (extremely hazardous substances):***None of the ingredients are listed.***Section 313 (Specific toxic chemical listings):***None of the ingredients are listed.***TSCA (Toxic Substances Control Act) Inventory:***All ingredients are listed.***Hazardous Air Pollutants***None of the ingredients are listed.***Proposition 65****Chemicals known to cause cancer:***None of the ingredients are listed.***Chemicals known to cause reproductive toxicity for females:***None of the ingredients are listed.***Chemicals known to cause reproductive toxicity for males:***None of the ingredients are listed.***Chemicals known to cause developmental toxicity:***None of the ingredients are listed.***Carcinogenicity categories****EPA (Environmental Protection Agency)***None of the ingredients are listed.***TLV (Threshold Limit Value established by ACGIH)***None of the ingredients are listed.***NIOSH-Ca (National Institute for Occupational Safety and Health)***None of the ingredients are listed.***GHS label elements** *Not applicable***Signal word** *Not applicable***Hazard statements** *Not applicable*

(Contd. on page 7)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

**Trade name: Elution Buffer**

(Contd. of page 6)

**Water hazard class:** Generally not hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Department issuing SDS:**

Promega Corporation  
 Chemical Regulatory Department  
 2800 Woods Hollow Road  
 Madison, WI  
 Ph: (608)274-4330

**Date of preparation / last revision** 09/14/2020 / 1.0

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

**\* Data compared to the previous version altered.**

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**1 Identification****Product identifier****Trade name:** Lysis Buffer**Article number:** MC136**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

-US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: **Lysis Buffer**

(Contd. of page 1)

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS05   GHS07   GHS08

**Signal word** *Danger***Hazard-determining components of labeling:***guanidinium thiocyanate**N-methylacetamide**3-mercaptopropane-1,2-diol***Hazard statements***Harmful if swallowed or if inhaled.**Causes severe skin burns and eye damage.**May damage fertility or the unborn child.***Precautionary statements***Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**Do not breathe dusts or mists.**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If swallowed: Rinse mouth. Do NOT induce vomiting.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**IF exposed or concerned: Get medical advice/attention.**Wash contaminated clothing before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 2**Fire = 0**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = 2**Fire = 0**Reactivity = 0***OSHA Hazard Overview (Criteria according to 29CFR1910.1200):***Corrosive**Reproductive Hazard**Environmental Hazard***Primary route(s) of entry:***Dermal**Inhalation*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: **Lysis Buffer**

(Contd. of page 2)

Oral

**Target Organ(s):**

May affect Nervous system (Neurotoxin)

May cause Kidney damage (Nephrotoxin)

Risk of damage to eyes

Affects Gastrointestinal System

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

593-84-0	guanidinium thiocyanate	50-75%
79-16-3	N-methylacetamide	20-25%
96-27-5	3-mercaptopropane-1,2-diol	1-5%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### \* 4 First-aid measures

**Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek medical treatment.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:** Call a doctor immediately.

**After swallowing:**

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Seek immediate medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

US  
(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Lysis Buffer

(Contd. of page 3)

## 5 Fire-fighting measures

### **Extinguishing media**

#### **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### **Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

**Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay upwind.

Wear protective clothing.

### **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Keep away from water.

### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## 7 Handling and storage

### **Handling:**

#### **Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

#### **Information about protection against explosions and fires:**

Keep respiratory protective device available.

The product is not flammable.

#### **Conditions for safe storage, including any incompatibilities**

##### **Storage:**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Do not store together with acids.

**Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Lysis Buffer

(Contd. of page 4)

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Eye protection:

Tightly sealed goggles

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)

(Contd. on page 6)

-US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Lysis Buffer

(Contd. of page 5)

<b>Flash point:</b>	> 100 °C (> 212 °F)
<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Ignition temperature:</b>	390 °C (734 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	1.7 Vol %
<b>Upper:</b>	11.5 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	2 hPa (1.5 mm Hg)
<b>Density at 20 °C (68 °F):</b>	1.114 g/cm <sup>3</sup> (9.29633 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Water:</b>	22.9 %
<b>VOC content:</b>	0.00 %
<b>Solids content:</b>	76.1 %
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Exposure to strong acid will result in the generation of toxic gases

Exposure to bleach may result in the generation of toxic gas

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

<b>LD/LC50 values that are relevant for classification:</b>		
<b>593-84-0 guanidinium thiocyanate</b>		
Oral	LD50	475 mg/kg (Rat) By analogy to guanidine hydrochloride
Dermal	LD50	>2,000 mg/kg (Rabbit) By analogy to Guanidine hydrochloride.

(Contd. on page 7)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Lysis Buffer**

(Contd. of page 6)

**Primary irritant effect:***on the skin: Caustic effect on skin and mucous membranes.**on the eye: Strong caustic effect.**Sensitization: Sensitization possible through inhalation.***Additional toxicological information:***The product shows the following dangers according to internally approved calculation methods for preparations:**Harmful**Corrosive**Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.***Carcinogenic categories****IARC (International Agency for Research on Cancer)***None of the ingredients are listed.***NTP (National Toxicology Program)***None of the ingredients are listed.***OSHA-Ca (Occupational Safety & Health Administration)***None of the ingredients are listed.*

## \* 12 Ecological information

**Toxicity***Aquatic toxicity: Harmful to aquatic life with long lasting effects.***Persistence and degradability***Not available**No further relevant information available.***Bioaccumulative potential***Not known**No further relevant information available.**Mobility in soil No further relevant information available.***Ecotoxicological effects:***Remark: Harmful to fish***Additional ecological information:****General notes:***Water hazard class 2 (Self-assessment): hazardous for water**Do not allow product to reach ground water, water course or sewage system.**Must not reach bodies of water or drainage ditch undiluted or unneutralized.**Danger to drinking water if even small quantities leak into the ground.**Harmful to aquatic organisms***Results of PBT and vPvB assessment***PBT: Not applicable.**vPvB: Not applicable.**Other adverse effects No further relevant information available.*

## \* 13 Disposal considerations

**Waste treatment methods****Recommendation:***Disposal should be in accordance with applicable regional, national and local laws and regulations.**Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.*

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Lysis Buffer

(Contd. of page 7)

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

**UN-Number****DOT, ADR, IMDG, IATA**

UN1760

**UN proper shipping name**

None

**DOT**

Corrosive liquid, n.o.s. solution

**ADR**

1760 CORROSIVE LIQUID, N.O.S. solution

**IMDG, IATA**

CORROSIVE LIQUID, N.O.S. solution

**Transport hazard class(es)**

None

**DOT****Class**

8 Corrosive substances

**Label**

8

**ADR****Class**

8 (C9) Corrosive substances

**Label**

8

**IMDG, IATA****Class**

8 Corrosive substances

**Label**

8

**Packing group**

None

**DOT, ADR, IMDG, IATA**

II

**Environmental hazards:****Marine pollutant:**

No

**Special precautions for user**

Warning: Corrosive substances

**Hazard identification number (Kemler code):** 80**EMS Number:**

F-A,S-B

**Stowage Category**

B

**Stowage Code**

SW2 Clear of living quarters.

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Lysis Buffer

(Contd. of page 8)

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**      *Not applicable.*

**Transport/Additional information:**

**ADR**

**Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**IMDG**

**Limited quantities (LQ)**

1L

**Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

**UN "Model Regulation":**

UN 1760 CORROSIVE LIQUID, N.O.S. SOLUTION, 8, II

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

All ingredients are listed.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**

**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Carcinogenicity categories**

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Lysis Buffer**

(Contd. of page 9)

**Signal word** *Danger***Hazard-determining components of labeling:***guanidinium thiocyanate**N-methylacetamide**3-mercaptopropane-1,2-diol***Hazard statements***Harmful if swallowed or if inhaled.**Causes severe skin burns and eye damage.**May damage fertility or the unborn child.***Precautionary statements***Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**Do not breathe dusts or mists.**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If swallowed: Rinse mouth. Do NOT induce vomiting.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Immediately call a poison center/doctor.**IF exposed or concerned: Get medical advice/attention.**Wash contaminated clothing before reuse.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Water hazard class:** *Water hazard class 2 (Self-assessment): hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Department issuing SDS:***Promega Corporation**Chemical Regulatory Department**2800 Woods Hollow Road**Madison, WI**Ph: (608)274-4330***Date of preparation / last revision** *09/14/2020 / 1.0***Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)*

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Lysis Buffer**

(Contd. of page 10)

*LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Acute Tox. 4: Acute toxicity – Category 4**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Repr. 1B: Reproductive toxicity – Category 1B***\* Data compared to the previous version altered.**

US

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/14/2020

Reviewed on 09/14/2020

**1 Identification****Product identifier****Trade name:** PBI Resin C**Article number:** MC137**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02

**Signal word** Danger**Hazard statements**

Highly flammable liquid and vapor.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: **PBI Resin C**

(Contd. of page 1)

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**

**NFPA ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 1

Fire = 3

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Flammable**

**Primary route(s) of entry:**

Inhalation

Oral

**Target Organ(s):**

May cause Liver damage (Hepatotoxin)

May affect Nervous system (Neurotoxin)

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

64-17-5	ethanol	20-25%
26628-22-8	sodium azide	<1%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

**Description of first aid measures**

**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

**Trade name: PBI Resin C**

(Contd. of page 2)

**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** Seek immediate medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## \* 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

## \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## \* 7 Handling and storage

**Handling:**

**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: **PBI Resin C**

(Contd. of page 3)

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Control parameters****Components with limit values that require monitoring at the workplace:****64-17-5 ethanol**PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppmREL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppmTLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm**26628-22-8 sodium azide**REL Ceiling limit value: 0.3\*\* mg/m<sup>3</sup>, 0.1\* ppm  
\*as HN<sub>3</sub>; \*\*as NaN<sub>3</sub>; SkinTLV Ceiling limit value: 0.29\*\* mg/m<sup>3</sup>, 0.11\* ppm  
\*as HN<sub>3</sub> vapor \*\*as NaN<sub>3</sub>**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

**Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**Protection of hands:**

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

(Contd. on page 5)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: PBI Resin C

(Contd. of page 4)

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

**pH-value at 20 °C (68 °F):** 7

#### Change in condition

<b>Melting point/Melting range:</b>	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	78 °C (172.4 °F)
<b>Flash point:</b>	< 23 °C (< 73.4 °F)

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** 425 °C (797 °F)

**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.  
Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

#### Explosion limits:

<b>Lower:</b>	3.5 Vol %
<b>Upper:</b>	15 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)

**Density at 20 °C (68 °F):** 0.9577 g/cm<sup>3</sup> (7.99201 lbs/gal)

**Relative density:** Not determined.

**Vapor density:** Not determined.

**Evaporation rate:** Not determined.

#### Solubility in / Miscibility with

**Water:** Fully miscible.

**Partition coefficient (n-octanol/water):** Not determined.

#### Viscosity:

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Organic solvents:** 20.1 %

**Water:** 79.8 %

**VOC content:** 20.06 %

**Solids content:** 0.2 %

**Other information:** No further relevant information available.

## 10 Stability and reactivity

**Reactivity:** No further relevant information available.

#### Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known.

**Conditions to avoid:** No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: **PBI Resin C**

(Contd. of page 5)

**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological information

**Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:****26628-22-8 sodium azide**

Oral	LD50	27 mg/kg (Rat)
Dermal	LD50	20 mg/kg (Rabbit)

**Primary irritant effect:****on the skin:** No data available.**on the eye:** No data available.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

64-17-5	ethanol	1
1309-37-1	iron trioxide	3

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## \* 12 Ecological information

**Toxicity****Aquatic toxicity:**

Not available

No further relevant information available.

**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:** Not available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: PBI Resin C

(Contd. of page 6)

Other adverse effects No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN1987

### UN proper shipping name

DOT

Alcohols, n.o.s. (Ethanol)

ADR

1987 ALCOHOLS, N.O.S. (vapour pressure at 50°C not more than 110 kPa) (ETHANOL (ETHYL ALCOHOL))

IMDG

ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))

IATA

ALCOHOLS, N.O.S. (ETHANOL)

### Transport hazard class(es)

DOT



Class

3 Flammable liquids

Label

3

ADR



Class

3 (F1) Flammable liquids

Label

3

IMDG, IATA



Class

3 Flammable liquids

Label

3

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: **PBI Resin C**

(Contd. of page 7)

<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	II
<b>Environmental hazards:</b> <b>Marine pollutant:</b>	No
<b>Special precautions for user</b> <b>Hazard identification number (Kemler code):</b> <b>EMS Number:</b> <b>Stowage Category</b>	Warning: Flammable liquids 33 F-E,S-D B
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b> <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>IMDG</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<b>UN "Model Regulation":</b>	UN 1987 ALCOHOLS, N.O.S. (VAPOUR PRESSURE AT 50°C NOT MORE THAN 110 KPA) (ETHANOL (ETHYL ALCOHOL)), 3, II

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

### Section 355 (extremely hazardous substances):

26628-22-8 | sodium azide

### Section 313 (Specific toxic chemical listings):

26628-22-8 | sodium azide

### TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

### Hazardous Air Pollutants

None of the ingredients are listed.

### Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Contd. on page 9)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/14/2020

Trade name: **PBI Resin C**

(Contd. of page 8)

**Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

26628-22-8 sodium azide

A4: Not classifiable as human carcinogen

1309-37-1 iron trioxide

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Danger**Hazard statements**

Highly flammable liquid and vapor.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Water hazard class:** Generally not hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

**Date of preparation / last revision** 09/14/2020 / 1.0**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 09/14/2020

Reviewed on 09/14/2020

**Trade name: PBI Resin C**

(Contd. of page 9)

*NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Flam. Liq. 2: Flammable liquids – Category 2***\* Data compared to the previous version altered.**

US

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/14/2020

Reviewed on 09/06/2020

**1 Identification****Product identifier****Trade name:** 4/40 Wash**Article number:** K200**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 1)

**Hazard pictograms**

GHS02 GHS07

**Signal word** *Danger***Hazard-determining components of labeling:***guanidinium chloride**2-Propanol***Hazard statements***Highly flammable liquid and vapor.**Harmful if swallowed.**Causes skin irritation.**Causes serious eye irritation.**May cause drowsiness or dizziness.***Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Rinse mouth.**Take off contaminated clothing and wash it before reuse.**If skin irritation occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use for extinction: CO2, powder or water spray.**Store in a well-ventilated place. Keep container tightly closed.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 2**Fire = 3**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = 2**Fire = 3**Reactivity = 0***OSHA Hazard Overview (Criteria according to 29CFR1910.1200):***Irritant**Flammable*

(Contd. on page 3)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 2)

**Primary route(s) of entry:**

Dermal  
Inhalation  
Oral

**Target Organ(s):**

May affect Nervous system (Neurotoxin)  
May cause Kidney damage (Nephrotoxin)  
May affect Bones

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

50-01-1	guanidinium chloride	40.098%
67-63-0	2-Propanol	25-50%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

**Description of first aid measures****General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

**After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Immediately call a doctor.

Seek immediate medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: 4/40 Wash**

(Contd. of page 3)

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## \* 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

## \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## \* 7 Handling and storage

**Handling:**

**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 4)

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 67-63-0 2-Propanol

PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI

#### Ingredients with biological limit values:

#### 67-63-0 2-Propanol

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not eat or drink while working.
- Clean skin thoroughly immediately after handling the product.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:

Protective gloves  
Select the glove material considering penetration time, rate of diffusion and degradation time.  
It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Eye protection:

Safety glasses  
Use equipment for eye protection tested and approved under government NIOSH standards.

US  
(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 5)

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

#### Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	82 °C (179.6 °F)
<b>Flash point:</b>	< 23 °C (< 73.4 °F)

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** 425 °C (797 °F)  
**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.  
 Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

#### Explosion limits:

<b>Lower:</b>	2 Vol %
<b>Upper:</b>	12 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	43 hPa (32.3 mm Hg)

**Density at 20 °C (68 °F):** 1.034 g/cm<sup>3</sup> (8.62873 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not determined.

**Evaporation rate** Not determined.

#### Solubility in / Miscibility with

**Water:** Fully miscible.

**Partition coefficient (n-octanol/water):** Not determined.

#### Viscosity:

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Organic solvents:** 40.0 %

**Water:** 19.9 %

**VOC content:** 40.00 %

**Solids content:** 40.2 %

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

#### Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 6)

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

#### 50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit) Severe Irritation

#### Primary irritant effect:

**on the skin:** Irritant to skin and mucous membranes.

**on the eye:** Irritating effect.

**Sensitization:** No sensitizing effects known.

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

#### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

67-63-0	2-Propanol	3
---------	------------	---

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

### Toxicity

#### Aquatic toxicity:

Not available

No further relevant information available.

#### Persistence and degradability

Not available

No further relevant information available.

#### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Not available

#### Additional ecological information:

**General notes:** No data available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 7)

Other adverse effects No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN1219

### UN proper shipping name

DOT

Isopropanol

ADR

1219 ISOPROPANOL (ISOPROPYL ALCOHOL)

IMDG, IATA

ISOPROPANOL (ISOPROPYL ALCOHOL)

### Transport hazard class(es)

DOT



Class

3 Flammable liquids

Label

3

ADR



Class

3 (F1) Flammable liquids

Label

3

IMDG, IATA



Class

3 Flammable liquids

Label

3

### Packing group

DOT, ADR, IMDG, IATA

II

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 8)

**Environmental hazards:****Marine pollutant:** No**Special precautions for user** Warning: Flammable liquids**Hazard identification number (Kemler code):** 33**EMS Number:** F-E,S-D**Stowage Category** B**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.**Transport/Additional information:****ADR**

**Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

**IMDG**

**Limited quantities (LQ)** 1L  
**Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

**UN "Model Regulation":** UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

67-63-0 | 2-Propanol

**TSCA (Toxic Substances Control Act) Inventory:**

All ingredients are listed.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Contd. on page 10)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 9)

**Cancerogenity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

67-63-0 2-Propanol

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Danger**Hazard-determining components of labeling:**

guanidinium chloride

2-Propanol

**Hazard statements**

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: 4/40 Wash**

(Contd. of page 10)

**Department issuing SDS:**

Promega Corporation  
 Chemical Regulatory Department  
 2800 Woods Hollow Road  
 Madison, WI  
 Ph: (608)274-4330

**Date of preparation / last revision** 09/14/2020 / 2.0

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

US

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/14/2020

Reviewed on 08/05/2020

**1 Identification****Product identifier****Trade name:** Wash Solution**Article number:** MC138**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

**Label elements****GHS label elements** Not applicable**Hazard pictograms** Not applicable**Signal word** Not applicable**Hazard statements** Not applicable**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 1

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 1

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable**Target Organ(s):** Not applicable or unknown

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Wash Solution**

(Contd. of page 1)

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### \* 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

57-55-6 Propylene glycol

50-75%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### \* 4 First-aid measures

**Description of first aid measures****General information:** No special measures required.**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### \* 5 Fire-fighting measures

**Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice**Protective equipment:** No special measures required.

### \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Wash Solution**

(Contd. of page 2)

### Reference to other sections

No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

**Precautions for safe handling** No special measures required.  
**Information about protection against explosions and fires:** No special measures required.

### Conditions for safe storage, including any incompatibilities

**Storage:**  
**Requirements to be met by storerooms and receptacles:** No special requirements.  
**Information about storage in one common storage facility:** Not required.  
**Further information about storage conditions:** None.  
**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

**General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:** Not required.

**Protection of hands:** Not required.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:** Not required.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Not determined
<b>Odor threshold:</b>	Not determined.

<b>pH-value at 20 °C (68 °F):</b>	8.5
-----------------------------------	-----

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Wash Solution

(Contd. of page 3)

**Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** Undetermined.  
**Flash point:** > 100 °C (> 212 °F)

**Flammability (solid, gaseous):** Not applicable.

**Ignition temperature:** 371 °C (699.8 °F)  
**Decomposition temperature:** Not determined.

**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.

**Explosion limits:**  
**Lower:** 2.6 Vol %  
**Upper:** 12.6 Vol %  
**Vapor pressure at 20 °C (68 °F):** 0.1 hPa

**Density at 20 °C (68 °F):** 1.05476 g/cm<sup>3</sup> (8.80197 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not determined.

**Evaporation rate** Not determined.

**Solubility in / Miscibility with**

**Water:** Fully miscible.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**Dynamic:** Not determined.

**Kinematic:** Not determined.

**Organic solvents:** 55.0 %

**Water:** 44.6 %

**VOC content:** 55.00 %

**Solids content:** 2.9 %

**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects****Acute toxicity:**

**LD/LC50 values that are relevant for classification:** No data available

**Primary irritant effect:**

**on the skin:** No irritant effect.

**on the eye:** No irritating effect.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Wash Solution**

(Contd. of page 4)

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## \* 12 Ecological information

**Toxicity**

**Aquatic toxicity:**

Not available

No further relevant information available.

**Persistence and degradability**

Not available

No further relevant information available.

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Not available

**Additional ecological information:**

**General notes:** Not known to be hazardous to water.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## \* 13 Disposal considerations

**Waste treatment methods**

**Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## \* 14 Transport information

**UN-Number**

Not hazardous for transportation

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

Trade name: Wash Solution

(Contd. of page 5)

<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable
<b>UN proper shipping name</b>	None
<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable
<b>Transport hazard class(es)</b>	None
<b>DOT, ADR, ADN, IMDG, IATA Class</b>	Not applicable
<b>Packing group</b>	None
<b>DOT, ADR, IMDG, IATA</b>	Not applicable
<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Not applicable.
<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
<b>UN "Model Regulation":</b>	Not applicable

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

All ingredients are listed.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**

**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**Carcinogenicity categories**

**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients are listed.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 08/05/2020

**Trade name: Wash Solution**

(Contd. of page 6)

### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

**GHS label elements** Not applicable

**Signal word** Not applicable

**Hazard statements** Not applicable

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

**Date of preparation / last revision** 09/14/2020 / 1.0

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

**\* Data compared to the previous version altered.**



**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 09/14/2020

Reviewed on 09/06/2020

**1 Identification****Product identifier****Trade name:** Ethanol Solution**Article number:** MC109**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**

SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)  
Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02

**Signal word** Danger**Hazard statements**

Highly flammable liquid and vapor.

(Contd. on page 2)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: Ethanol Solution**

(Contd. of page 1)

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:**

**NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 3

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 3

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Flammable**

**Primary route(s) of entry:** Inhalation

**Target Organ(s):**

May cause Liver damage (Hepatotoxin)

May affect Nervous system (Neurotoxin)

**Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

64-17-5	ethanol	75-100%
---------	---------	---------

**Additional information:** For the wording of the listed risk phrases refer to section 15.

### 4 First-aid measures

**Description of first aid measures**

**General information:** Immediately remove any clothing soiled by the product.

**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.

**Information for doctor:**

**Most important symptoms and effects, both acute and delayed**

Headache

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: Ethanol Solution**

(Contd. of page 2)

Dizziness

Nausea

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## \* 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** In the case of fire, wear respiratory protective equipment and chemical protective suit.

## \* 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

## \* 7 Handling and storage

**Handling:**

**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Use only in well ventilated areas.

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: Ethanol Solution

Specific end use(s) No further relevant information available.

(Contd. of page 3)

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

##### 64-17-5 ethanol

PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

##### General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

##### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

##### Change in condition

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	78 °C (172.4 °F)
<b>Flash point:</b>	< 23 °C (< 73.4 °F)

<b>Flammability (solid, gaseous):</b>	Not applicable.
---------------------------------------	-----------------

<b>Ignition temperature:</b>	425 °C (797 °F)
------------------------------	-----------------

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: Ethanol Solution

(Contd. of page 4)

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<b>Explosion limits:</b>	
<b>Lower:</b>	3.5 Vol %
<b>Upper:</b>	15 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)
<b>Density at 20 °C (68 °F):</b>	0.832 g/cm <sup>3</sup> (6.94304 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Organic solvents:</b>	80.0 %
<b>Water:</b>	20.0 %
<b>VOC content:</b>	80.00 %
<b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.  
**Chemical stability**  
**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.  
**Possibility of hazardous reactions** No dangerous reactions known.  
**Conditions to avoid** No further relevant information available.  
**Incompatible materials:** Oxidizing agents  
**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects**  
**Acute toxicity:**  
**LD/LC50 values that are relevant for classification:** No data available  
**Primary irritant effect:**  
**on the skin:** No data available.  
**on the eye:** No data available.  
**Sensitization:** No sensitizing effects known.  
**Additional toxicological information:**  
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: Ethanol Solution**

(Contd. of page 5)

### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

64-17-5 ethanol

I

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

### Toxicity

#### Aquatic toxicity:

Not available

No further relevant information available.

#### Persistence and degradability

Not available

No further relevant information available.

#### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Not available

#### Additional ecological information:

**General notes:** No data available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

UN1170

### UN proper shipping name

DOT

Ethanol

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: Ethanol Solution

(Contd. of page 6)

<b>ADR</b>	1170 ETHANOL (ETHYL ALCOHOL)
<b>IMDG</b>	ETHANOL (ETHYL ALCOHOL)
<b>IATA</b>	ETHANOL

**Transport hazard class(es)****DOT**

<b>Class</b>	3 Flammable liquids
<b>Label</b>	3

**ADR**

<b>Class</b>	3 (F1) Flammable liquids
<b>Label</b>	3

**IMDG, IATA**

<b>Class</b>	3 Flammable liquids
<b>Label</b>	3

**Packing group****DOT, ADR, IMDG, IATA** II**Environmental hazards:****Marine pollutant:** No**Special precautions for user** Warning: Flammable liquids**Hazard identification number (Kemler code):** 33**EMS Number:** F-E,S-D**Stowage Category** A**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.**Transport/Additional information:****ADR**

<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
---------------------------------	---

**IMDG**

<b>Limited quantities (LQ)</b>	1L
<b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

Trade name: Ethanol Solution

(Contd. of page 7)

UN "Model Regulation":

UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**TSCA (Toxic Substances Control Act) Inventory:**

All ingredients are listed.

**Hazardous Air Pollutants**

None of the ingredients are listed.

**Proposition 65**
**Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

64-17-5 ethanol

**Carcinogenicity categories**
**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

64-17-5 ethanol

A3

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Signal word** Danger

**Hazard statements**

Highly flammable liquid and vapor.

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

(Contd. on page 9)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/14/2020

Reviewed on 09/06/2020

**Trade name: Ethanol Solution**

(Contd. of page 8)

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation  
Chemical Regulatory Department  
2800 Woods Hollow Road  
Madison, WI  
Ph: (608)274-4330

**Date of preparation / last revision** 09/14/2020 / 2.0

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

**\* Data compared to the previous version altered.**