

Kit Components

Product code	Description
G6500	HaloTag™ Mammalian Pull Down & Labeling System

Components:

G2991	HaloTag® TMRDirect™ Ligand, 30 ul
G6501	HaloTag™ Mammalian Pull Down System
G6521	Protease Inhibitor Cocktail, 50x, 1ml

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

1 Identification

Product identifier

Trade name: HaloTag® TMRDirect™ Ligand

Article number: G299A

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



Acute Tox. 4 H312 Harmful in contact with skin.

Flam. Liq. 4 H227 Combustible liquid.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS07

Signal word Warning

Hazard-determining components of labeling:

dimethyl sulfoxide

Hazard statements

Combustible liquid.

Harmful in contact with skin.

Precautionary statements

Wear protective gloves / eye protection / face protection.

Wear protective gloves / protective clothing.

Keep away from flames and hot surfaces. – No smoking.

IF ON SKIN: Wash with plenty of water.

Call a POISON CENTER/doctor if you feel unwell.

In case of fire: Use for extinction: CO2, powder or water spray.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 1)

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 2

Fire = 2

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 2

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Toxic

Combustible

Primary route(s) of entry: Oral

Target Organ(s):

Dermal hazard (Cutaneous hazard)

Risk of damage to eyes

Other hazards

This mixture has not been tested to determine the overall health hazard; therefore in accordance with 29CFR1910.1200, the data reported above pertains to the hazardous ingredients of this mixture.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is a mixture of the hazardous substances listed below along with unlisted nonhazardous substances. The exact concentration percentages of the hazardous substances may be withheld as a Promega Corp. trade secret.

Dangerous components:

67-68-5	dimethyl sulfoxide	75-100%
---------	--------------------	---------

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Immediately call a doctor.

Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture None known

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 3)

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

Change in condition

Melting point/Melting range:	18.45 °C (65 °F)
Boiling point/Boiling range:	189 °C (372 °F)
Flash point:	> 60 °C (> 140 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 270 °C (518 °F)

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	1.8 Vol %
Upper:	Zers Vol %
Vapor pressure at 20 °C (68 °F):	2.5 hPa (2 mm Hg)

Density at 20 °C (68 °F): 1.1 g/cm³ (9.18 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 4)

Solubility in / Miscibility with

Water: Fully miscible.
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
Dynamic: Not determined.
Kinematic: Not determined.

Organic solvents: 100.0 %
VOC content: 100.0 %
Other information No further relevant information available.

* 10 Stability and reactivity

Reactivity No further relevant information available.
Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
Possibility of hazardous reactions No dangerous reactions known.
Conditions to avoid No further relevant information available.
Incompatible materials:
 Oxidizing agents
 Strong acids
 Strong reducing agents
Hazardous decomposition products: No dangerous decomposition products known.

* 11 Toxicological information

Information on toxicological effects
Acute toxicity:
LD/LC50 values that are relevant for classification:
67-68-5 dimethyl sulfoxide

Oral	LD50	14500 mg/kg (Rat)
Dermal	LD50	1800 mg/kg (Mouse)
Irritation of eyes	acute	500 mg (Rabbit) mild irritation

Primary irritant effect:

on the skin: No irritant effect.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
 Harmful

Carcinogenic categories
IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* 12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability: Not available

Behavior in environmental systems:

Bioaccumulative potential: Not known

Mobility in soil: No further relevant information available.

Ecotoxicological effects:

Remark: Not available

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No further relevant information available.

* 13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

* 14 Transport information

UN-Number	Not hazardous for transportation
DOT, ADR, ADN, IMDG, IATA	Void

UN proper shipping name	None
DOT, ADR, ADN, IMDG, IATA	Void

Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA	
Class	Void

Packing group	None
DOT, ADR, IMDG, IATA	Void

Environmental hazards:	
Marine pollutant:	No

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 6)

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation": Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogeny categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard-determining components of labeling:

dimethyl sulfoxide

Hazard statements

Combustible liquid.

Harmful in contact with skin.

Precautionary statements

Wear protective gloves / eye protection / face protection.

Wear protective gloves / protective clothing.

Keep away from flames and hot surfaces. – No smoking.

IF ON SKIN: Wash with plenty of water.

Call a POISON CENTER/doctor if you feel unwell.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloTag® TMRDirect™ Ligand

(Contd. of page 7)

In case of fire: Use for extinction: CO2, powder or water spray.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Environmental Health and Safety Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

Date of preparation / last revision 07/04/2016 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

*** Data compared to the previous version altered.**

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

1 Identification**Product identifier****Trade name:** HaloLink™ Resin**Article number:** G191**Application of the substance / the mixture** Laboratory chemicals**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

Label elements**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms** GHS02**Signal word** Warning**Hazard statements**

Flammable liquid and vapor.

Precautionary statements

Take precautionary measures against static discharge.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 1)

Classification system:**NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 2

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 2

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Combustible**Primary route(s) of entry:** Oral**Target Organ(s):**

May cause Liver damage (Hepatotoxin)

May affect Nervous system (Neurotoxin)

Other hazards Keep away from sources of ignition.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:**

The product is a mixture of the hazardous substances listed below along with unlisted nonhazardous substances. The exact concentration percentages of the hazardous substances may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

10-15%

Additional information: For the wording of the listed risk phrases refer to section 15.

* 4 First-aid measures

Description of first aid measures**After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

* 5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**Special hazards arising from the substance or mixture** None known

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

Advice for firefighters No special advice

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Breathing equipment: Not required.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 3)

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	23 - 60 °C (73 - 140 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 425 °C (797 °F)

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	3.5 Vol %
Upper:	15.0 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44 mm Hg)

Density: Not determined.

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Organic solvents: 15.0 %

Water: 60.0 %

VOC content: 15.0 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 4)

Chemical stability**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:****LD/LC50 values that are relevant for classification:** No data available**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer)**

64-17-5 | ethanol

I

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity**Aquatic toxicity:** Not harmful to the aquatic environment**Persistence and degradability** Not available**Behavior in environmental systems:****Bioaccumulative potential** Not known**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:****Water hazard class 1 (Self-assessment):** slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 5)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number	Not hazardous for transportation
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	None
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA Class	Void
Packing group	None
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

64-17-5	ethanol
7732-18-5	water

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 6)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 | ethanol

Carcinogenicity categories
EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 | ethanol

A3

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard statements

Flammable liquid and vapor.

Precautionary statements

Take precautionary measures against static discharge.

Use explosion-proof electrical/ventilating/lighting/equipment.

Wear protective gloves / eye protection / face protection.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Environmental Health and Safety Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

Date of preparation / last revision 07/04/2016 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: HaloLink™ Resin

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

*** Data compared to the previous version altered.**

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

* **1 Identification**

Product identifier

Trade name: Mammalian Lysis Buffer

Article number: G938

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

* **2 Hazard(s) identification**

Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Classification system:

NFPA ratings (scale 0 - 4)

Health = 0

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 0

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable

Target Organ(s): Not applicable or unknown

Other hazards

This mixture has not been tested to determine the overall health hazard; therefore in accordance with 29CFR1910.1200, the data reported above pertains to the hazardous ingredients of this mixture.

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: Mammalian Lysis Buffer

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is a mixture of the hazardous substances listed below along with unlisted nonhazardous substances. The exact concentration percentages of the hazardous substances may be withheld as a Promega Corp. trade secret.

Dangerous components:

9002-93-1	Polyethylene glycol tert-octylphenyl ether	<2.00%
-----------	--	--------

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture None known

Advice for firefighters

No special advice

No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: Mammalian Lysis Buffer

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling No special measures required.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: Not required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Not required.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F): 7.5

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.

Flammability (solid, gaseous): Not applicable.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: **Mammalian Lysis Buffer**

(Contd. of page 3)

Ignition temperature:**Decomposition temperature:** Not determined.**Auto igniting:**

Product is not selfigniting.

Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:**Lower:** Not determined.**Upper:** Not determined.**Vapor pressure:**

Not determined.

Density:

Not determined.

Relative density

Not determined.

Vapor density

Not determined.

Evaporation rate

Not determined.

Solubility in / Miscibility with**Water:** Fully miscible.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**Organic solvents:**

1.0 %

Water:

97.4 %

Solids content:

1.6 %

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects**Acute toxicity:****LD/LC50 values that are relevant for classification:** No data available**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: Mammalian Lysis Buffer

(Contd. of page 4)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability Not available

Behavior in environmental systems:

Bioaccumulative potential Not known

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Not available

Additional ecological information:

General notes: Generally not hazardous for water.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number Not hazardous for transportation

DOT, ADR, ADN, IMDG, IATA Void

UN proper shipping name None

DOT, ADR, ADN, IMDG, IATA Void

Transport hazard class(es) None

DOT, ADR, ADN, IMDG, IATA

Class Void

Packing group None

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: **Mammalian Lysis Buffer**

(Contd. of page 5)

DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Void

Signal word Void

Hazard statements Void

National regulations:

Water hazard class: Generally not hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: Mammalian Lysis Buffer

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation
 Environmental Health and Safety Department
 2800 Woods Hollow Road
 Madison, WI
 Ph: (608)274-4330

Date of preparation / last revision 07/04/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

*** Data compared to the previous version altered.**

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

1 Identification**Product identifier****Trade name:** SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)**Article number:** G651**Application of the substance / the mixture** Laboratory chemicals**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

GHS08 Health hazard

STOT SE 2 H371 May cause damage to organs.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms** GHS07, GHS08**Signal word** Warning**Hazard-determining components of labeling:**

sodium dodecyl sulphate

Hazard statements

Causes serious eye irritation.

May cause damage to organs.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust/fume/gas/mist/vapors/spray.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 1)

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable

Primary route(s) of entry: Oral

Target Organ(s): Not applicable or unknown

Other hazards

This mixture has not been tested to determine the overall health hazard; therefore in accordance with 29CFR1910.1200, the data reported above pertains to the hazardous ingredients of this mixture.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is a mixture of the hazardous substances listed below along with unlisted nonhazardous substances. The exact concentration percentages of the hazardous substances may be withheld as a Promega Corp. trade secret.

Dangerous components:

151-21-3	sodium dodecyl sulphate	<2.00%
----------	-------------------------	--------

Additional information: For the wording of the listed risk phrases refer to section 15.

* 4 First-aid measures

Description of first aid measures

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture None known

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special precautions are necessary if used correctly.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Breathing equipment: Not required.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 3)

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

Change in condition

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.

Flammability (solid, gaseous): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting:

Product is not selfigniting.

Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.

Density at 20 °C (68 °F): 0.99095 g/cm³ (8.269 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Organic solvents: 0.0 %

Water: 98.2 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 4)

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

* 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: No irritant effect.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

* 12 Ecological information

Toxicity

Aquatic toxicity: Not harmful to the aquatic environment

Persistence and degradability Not available

Behavior in environmental systems:

Bioaccumulative potential Not known

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Not available

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

* 13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 5)

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.

* 14 Transport information

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Void
---	--

UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Void
---	--------------

Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class	None Void
---	--------------

Packing group DOT, ADR, IMDG, IATA	None Void
--	--------------

Environmental hazards: Marine pollutant:	No
--	----

Special precautions for user	Not applicable.
-------------------------------------	-----------------

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
--	-----------------

UN "Model Regulation":	Void
-------------------------------	------

* 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 6)

Carcinogenicity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard-determining components of labeling:

sodium dodecyl sulphate

Hazard statements

Causes serious eye irritation.

May cause damage to organs.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF exposed or concerned: Call a POISON CENTER/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Environmental Health and Safety Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

Date of preparation / last revision 07/04/2016 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/03/2016

Trade name: SDS Elution Buffer (HaloTag Mammalian Pull Down System G6500)

(Contd. of page 7)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

*** Data compared to the previous version altered.**

US

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

1 Identification**Product identifier****Trade name:** Protease Inhibitor Cocktail**Article number:** G652A**Application of the substance / the mixture** Laboratory chemicals**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA
and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification**Classification of the substance or mixture**

GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms** GHS05, GHS06**Signal word** Danger**Hazard-determining components of labeling:**

alpha-toluenesulphonyl fluoride

1,10-phenanthroline

Hazard statements

Toxic if swallowed.

Causes severe skin burns and eye damage.

Precautionary statements

Wash thoroughly after handling.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 1)

Do not eat, drink or smoke when using this product.

Do not breathe dusts or mists.

Wear eye protection / face protection.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Wash contaminated clothing before reuse.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 3

Fire = 0

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Highly Toxic

Corrosive

Environmental Toxin

Environmental Hazard

Primary route(s) of entry:

Dermal

Inhalation

Oral

Target Organ(s): Not applicable or unknown

Other hazards

This mixture has not been tested to determine the overall health hazard; therefore in accordance with 29CFR1910.1200, the data reported above pertains to the hazardous ingredients of this mixture.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is a mixture of the hazardous substances listed below along with unlisted nonhazardous substances. The exact concentration percentages of the hazardous substances may be withheld as a Promega Corp. trade secret.

Dangerous components:

329-98-6	alpha-toluenesulphonyl fluoride	75-100%
1670-14-0	benzamidinium chloride	5-10%
66-71-7	1,10-phenanthroline	1.0-5.0%

Additional information: For the wording of the listed risk phrases refer to section 15.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 2)

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Seek medical treatment.

Provide oxygen treatment if affected person has difficulty breathing.

Medical supervision for at least 48 hours.

After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Call a doctor immediately.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact: Call a doctor immediately.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture None known

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Keep people at a distance and stay upwind.

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Use neutralizing agent.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 3)

Dispose contaminated material as waste according to Section 13.
 Pick up mechanically.
 Ensure adequate ventilation.
Reference to other sections
 See Section 7 for information on safe handling.
 See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Thorough dedusting.
 Keep receptacles tightly sealed.
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Work only in fume cabinet.

Information about protection against explosions and fires:

Keep respiratory protective device available.
 The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

* 8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Ingredients with biological limit values:

329-98-6 alpha-toluenesulphonyl fluoride

BEI	2 mg/L
	Medium: urine
	Time: prior to shift
	Parameter: Fluoride (background, nonspecific)

	3 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Fluoride (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Ensure that washing facilities are available at the work place.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Tightly sealed goggles

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Solid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.

Flammability (solid, gaseous): Not determined.

Ignition temperature:

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.

Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 5)

Solubility in / Miscibility with

Water: Insoluble.
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
Dynamic: Not applicable.
Kinematic: Not applicable.

Organic solvents: 0.0 %

Solids content: 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects
Acute toxicity:

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories
IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 6)

12 Ecological information

Toxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Persistence and degradability Not available

Behavior in environmental systems:

Bioaccumulative potential Not known

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN2928

UN proper shipping name

DOT

Toxic solids, corrosive, organic, n.o.s. (alpha-toluenesulphonyl fluoride)

ADR

2928 Toxic solids, corrosive, organic, n.o.s. (alpha-toluenesulphonyl fluoride), ENVIRONMENTALLY HAZARDOUS TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S. (alpha-toluenesulphonyl fluoride), MARINE POLLUTANT

IMDG

IATA

TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S. (alpha-toluenesulphonyl fluoride)

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: *Protease Inhibitor Cocktail*

(Contd. of page 7)

Transport hazard class(es)**DOT**

Class 6.1 Toxic substances
Label 6.1, 8

ADR

Class 6.1 (TC2) Toxic substances
Label 6.1+8

IMDG

Class 6.1 Toxic substances
Label 6.1/8

IATA

Class 6.1 Toxic substances
Label 6.1 (8)

Packing group

DOT, ADR, IMDG, IATA II

Environmental hazards:

Product contains environmentally hazardous substances: 1,10-phenanthroline

Marine pollutant:

Yes
 Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special precautions for user

Warning: Toxic substances

Danger code (Kemler):

68

EMS Number:

F-A,S-B

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

**Transport in bulk according to Annex II of
 MARPOL73/78 and the IBC Code**

Not applicable.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: **Protease Inhibitor Cocktail**

(Contd. of page 8)

Transport/Additional information:**ADR****Excepted quantities (EQ)**

Code: E4

Maximum net quantity per inner packaging: 1 g

Maximum net quantity per outer packaging: 500 g

IMDG**Limited quantities (LQ)**

500 g

Excepted quantities (EQ)

Code: E4

Maximum net quantity per inner packaging: 1 g

Maximum net quantity per outer packaging: 500 g

UN "Model Regulation":UN 2928 TOXIC SOLIDS, CORROSIVE, ORGANIC, N.O.S.
(ALPHA-TOLUENESULPHONYL FLUORIDE), 6.1 (8), II,
ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

329-98-6 | alpha-toluenesulphonyl fluoride

1670-14-0 | benzamidinium chloride

66-71-7 | 1,10-phenanthroline

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity categories**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 9)

Signal word *Danger***Hazard-determining components of labeling:***alpha-toluenesulphonyl fluoride**1,10-phenanthroline***Hazard statements***Toxic if swallowed.**Causes severe skin burns and eye damage.***Precautionary statements***Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Do not breathe dusts or mists.**Wear eye protection / face protection.**IF SWALLOWED: Immediately call a POISON CENTER/ doctor.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**Wash contaminated clothing before reuse.**If swallowed: Rinse mouth. Do NOT induce vomiting.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***National regulations:****Water hazard class:** *Water hazard class 3 (Self-assessment): extremely hazardous for water.***Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:*Promega Corporation**Environmental Health and Safety Department**2800 Woods Hollow Road**Madison, WI**Ph:(608)274-4330***Date of preparation / last revision** *07/04/2016 / -***Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organization**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety*

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 06/30/2016

Trade name: Protease Inhibitor Cocktail

(Contd. of page 10)

*OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Acute Tox. 3: Acute toxicity – Category 3**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**** Data compared to the previous version altered.**

US