

07/04/2016

Kit Components

Product code	Description
--------------	-------------

H5142	Triton® X-100, 100ml
--------------	-----------------------------

Components:

H514	Triton® X-100
------	---------------

Safety Data Sheet
acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

1 Identification

Product identifier

Trade name: Triton® X-100

Article number: H514

CAS Number:

9002-93-1

Application of the substance / the mixture Laboratory chemicals

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation

2800 Woods Hollow Road

Madison, WI 53711

U.S.A.

1-800-356-9526 or (608)-274-4330

Information department: SDS author: Regulatory.Affairs@promega.com

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS07

Signal word Warning

Hazard-determining components of labeling:

Polyethylene glycol tert-octylphenyl ether

Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 1)

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

Health = 1

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 1

Fire = 1

Reactivity = 0

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Irritant

Environmental Toxin

Environmental Hazard

Primary route(s) of entry:

Dermal

Oral

Target Organ(s): Risk of damage to eyes

Other hazards

This mixture has not been tested to determine the overall health hazard; therefore in accordance with 29CFR1910.1200, the data reported above pertains to the hazardous ingredients of this mixture.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

* 3 Composition/information on ingredients

Chemical characterization: Substances

CAS No. Description

9002-93-1 Polyethylene glycol tert-octylphenyl ether

* 4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture None known

Advice for firefighters

No special advice

In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 3)

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Mild
Odor threshold:	Not determined.

Change in condition

Melting point/Melting range:	6 °C (43 °F)
Boiling point/Boiling range:	>200 °C (>392 °F)
Flash point:	252 °C (486 °F)

Flammability (solid, gaseous): Not applicable.**Ignition temperature:****Decomposition temperature:** Not determined.**Auto igniting:** Not determined.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Vapor pressure:** Not determined.**Density at 20 °C (68 °F):** 1.07 g/cm³ (8.929 lbs/gal)**Relative density** Not determined.**Vapor density** Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 4)

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Organic solvents: 100.0 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

9002-93-1 Polyethylene glycol tert-octylphenyl ether

Oral LD50 1800 mg/kg (Rat)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Persistence and degradability Not available

Behavior in environmental systems:

Bioaccumulative potential Not known

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 5)

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Toxic for fish

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

* 13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

* 14 Transport information

UN-Number	Not hazardous for transportation
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	None
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA	
Class	Void
Packing group	None
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 6)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenicity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Signal word Warning

Hazard-determining components of labeling:

Polyethylene glycol tert-octylphenyl ether

Hazard statements

Harmful if swallowed.

Causes serious eye irritation.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/04/2016

Reviewed on 07/03/2016

Trade name: Triton® X-100

(Contd. of page 7)

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation
Environmental Health and Safety Department
2800 Woods Hollow Road
Madison, WI
Ph: (608)274-4330

Date of preparation / last revision 07/04/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
*** Data compared to the previous version altered.**

US