

10/04/2020

Kit Components

Product code	Description
--------------	-------------

S3771	BCIP/NBT Color Development Substrate
--------------	---

Components:

S381	BCIP
S380	Nitro-Blue Tetrazolium (NBT)

Safety Data Sheet
acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

1 Identification

Product identifier

Trade name: BCIP

Article number: S381

Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com
Promega Corporation
2800 Woods Hollow Road
Madison, WI 53711
U.S.A.
1-800-356-9526 or (608)-274-4330

Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 1)

*Eye Irrit. 2A H319 Causes serious eye irritation.***Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02 GHS07 GHS08

Signal word *Danger***Hazard-determining components of labeling:***N,N-dimethylformamide***Hazard statements***Flammable liquid and vapor.**Harmful in contact with skin or if inhaled.**Causes serious eye irritation.**May cause cancer.**May damage fertility or the unborn child.***Precautionary statements***Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Keep container tightly closed.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF exposed or concerned: Get medical advice/attention.**Call a poison center/doctor if you feel unwell.**Take off contaminated clothing and wash it before reuse.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use for extinction: CO₂, powder or water spray.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 2**Fire = 3**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = *2**Fire = 3**Reactivity = 0*

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 2)

OSHA Hazard Overview (Criteria according to 29CFR1910.1200):

Irritant

Combustible

Reproductive Hazard

Primary route(s) of entry:

Dermal

Inhalation

Target Organ(s):

May cause Liver damage (Hepatotoxin)

May affect Reproductive System (Mutagen, Teratogen)

May cause Kidney damage (Nephrotoxin)

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

68-12-2	N,N-dimethylformamide	75-100%
6578-06-9	5-Bromo-4-chloro-3-indolyl phosphate p-toluidine salt	1-5%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

US
(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 3)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Wear protective clothing.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: **BCIP**

(Contd. of page 4)

68-12-2 N,N-dimethylformamide

PEL Long-term value: 30 mg/m³, 10 ppm
Skin

REL Long-term value: 30 mg/m³, 10 ppm
Skin

TLV Long-term value: 15 mg/m³, 5 ppm
Skin; BEI

Ingredients with biological limit values:**68-12-2 N,N-dimethylformamide**

BEI	15 mg/L Medium: urine Time: end of shift Parameter: N-Methylformamide
	40 mg/L Medium: urine Time: prior to last shift of workweek Parameter: N-Acetyl-S-(N-methylcarbamoyl) cysteine (semi-quantitative)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 5)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

Change in condition

Melting point/Melting range:	-61 °C (-77.8 °F)
Boiling point/Boiling range:	152 °C (305.6 °F)
Flash point:	23 - 60 °C (73.4 - 140 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 440 °C (824 °F)
Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.
 Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Explosion limits:

Lower:	2.2 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	3.5 hPa (2.6 mm Hg)

Density at 20 °C (68 °F): 0.95 g/cm³ (7.92775 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

Organic solvents: 95.0 %

VOC content: 0.00 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

US
(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: **BCIP**

(Contd. of page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

68-12-2 N,N-dimethylformamide

Oral	LD50	7,600 mg/kg (Rat)
Dermal	LD50	5,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	9,400 mg/l (Mouse)

Primary irritant effect:

on the skin: No data available.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

68-12-2	N,N-dimethylformamide	2A
---------	-----------------------	----

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity:

Not available

No further relevant information available.

Persistence and degradability

Not available

No further relevant information available.

Bioaccumulative potential

Not known

No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Not available

Additional ecological information:

General notes: No data available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 7)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.
Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

UN2265

UN proper shipping name

DOT

N,N-Dimethylformamide solution

ADR

2265 N,N-DIMETHYLFORMAMIDE solution

IMDG, IATA

N,N-DIMETHYLFORMAMIDE solution

Transport hazard class(es)

DOT



Class

3 Flammable liquids

Label

3

ADR



Class

3 (F1) Flammable liquids

Label

3

IMDG, IATA



Class

3 Flammable liquids

Label

3

Packing group

DOT, ADR, IMDG, IATA

III

Environmental hazards:

Marine pollutant:

No

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: **BCIP**

(Contd. of page 8)

Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-D
Stowage Category	A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
---	-----------------

Transport/Additional information:**ADR**

Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

IMDG

Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":	UN 2265 N,N-DIMETHYLFORMAMIDE SOLUTION, 3, III
-------------------------------	--

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

68-12-2 | N,N-dimethylformamide

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

68-12-2 | N,N-dimethylformamide

Proposition 65**Chemicals known to cause cancer:**

68-12-2 | N,N-dimethylformamide

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity categories**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: **BCIP**

(Contd. of page 9)

TLV (Threshold Limit Value established by ACGIH)68-12-2 | *N,N*-dimethylformamide

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Danger**Hazard-determining components of labeling:***N,N*-dimethylformamide**Hazard statements**

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

May cause cancer.

May damage fertility or the unborn child.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO₂, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608)274-4330

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 10/04/2020

Reviewed on 10/04/2020

Trade name: BCIP

(Contd. of page 10)

Date of preparation / last revision 10/04/2020 / 1.0

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

*** Data compared to the previous version altered.**